



Kitchen Appliances Collection 2025

 **Domain**
Quality Appliances for [Everyday Living](#)

The kitchen is the life and soul of the home.

CONTENTS	
Introduction	04
Ovens	06
Microwaves	16
Cooktops	18
Rangehoods	32
Dishwashers	46
Sinks	50
Taps & Mixers	60
Technical Specifications	66
Contact Us	74



The kitchen is the source of all the captivating smells and sounds emanating throughout the home.

It is the focal point for our guests and family when entertaining.

Escape from our hectic and complex lifestyles is becoming more important. We seek our own personalised space, a personal retreat and most importantly, the sense of home. Home is our primary place where we love and grow with our family and friends.

We turn to food for great pleasure and expect great experience from our food. In food we seek premium quality, try interesting new culinary techniques and indulge in flavours from all over the world.

We look for the ability to perform a quick easy convenient meal whilst also being able to prepare delicious weekend family feasts. This is why we need appliances that fit in and suit our needs in our ever changing lifestyle.

Domain's new kitchen appliance range represents innovative, affordable, quality that integrates within your kitchen and your changing lifestyle.

"Quality appliances for everyday living."

OVENS

Ovens

Domain's ovens have been meticulously designed with a blend of functionality, style and performance. The diverse range is equipped with easy-to-use features to simplify and meet the demands of the versatile home chef.



Digital Display and Controls

All Domain ovens have simple to use controls. Some models include high information digital displays with retractable controls and push buttons.

The digital display provides all the information you could ever need including current function, time and whether the oven has preheated. Setting functions and temperature is simple as rotating a dial.



Interior

The unique coating on the inside of all Domain ovens is a high grade protective enamel. This enamel withstands chemical corrosion and is scratch-resistant to ensure your oven's longevity.



Advanced Insulation Technology (Cool Touch Doors)

Domain provides a range of ovens with Cool Touch Doors. The triple and quadruple glazed doors are designed to reduce the oven door's external surface temperature dramatically. Whilst eliminating heat on the outside surface, the Cool Touch Door provides extra insulation internally for efficient and faster cooking.




Recessed Grill Element

The Recessed Grill Element, on selected Domain ovens, was designed with practicality and safety in mind. Not only does this feature reduce accidental contact with the element, concealing of the grill element has allowed maximum internal capacity.



Cavity Cooling System

When operational, the Cavity Cooling System uses dedicated fans to eliminate the residual heat from cooking. Its purpose is to cool the oven after cooking to protect any adjacent cabinetry and the oven's internal components.



Easily Removable Door

All Domain ovens are equipped with an Easily Removable Door. Raise the latches on each hinge and the door will slide out effortlessly allowing easy access to the oven cavity.



Catalytic Self-Cleaning Liners

Catalytic Self-cleaning Liners can be mounted on the sidewalls and back of the oven cavity. During cooking, grease and fat deposits are absorbed into the liners which reduce cooking odours. When the oven is operating the heat causes oxygen to be released from the liners. This process forces the grease and fat deposits to breakdown and oxidise leaving the liners renewed.



Pyrolytic

Pyrolytic cleaning is the ultimate in self-cleaning convenience. During the pyrolytic process the oven is heated to approximately 400°C. This extreme heat causes the residues from roasting, grilling and baking to reduce to a thin layer of ash at the base of the oven. It is then a easy wipe with a damp cloth to clean your oven once cooled.



With a sleek black glass fascia, large cooktop workspace and huge oven cavity, combined with extra features such as the rotisserie and catalytic liners, the FBC90 will be at home in any busy modern family home.



FBC90
9 Function Black Glass Fascia
Freestanding Cooker - 900mm

Functions

- Defrost
- Light
- Bottom Element
- Grill Element
- Top and Grill Element
- Top and Grill Element and Fan
- Conventional Fan Forced
- Top and Bottom Element
- Top and Bottom Element and Fan

Cooktop Features

- Finger Mark Resistant Stainless Steel 5 Burner Gas Cooktop
- 2 Rapid Burners, 1 Semi Rapid, 1 Aux Burner and 1 Central Wok Burner
- Cast Iron Trivets
- Flame Failure Device

Oven Features

- Advanced Dual Rear Fans
- Tangential Cooling Fan
- Triple Glazed Glass Door
- LED Programmable Timer
- 112 Litre Capacity
- Catalytic Self Cleaning Liners (Both Sides)
- Rotisserie

Standard Accessories

- 2 Sliding Racks and 1 Enamel Baking Tray



With a clean stainless steel fascia, large cooktop workspace and huge oven cavity, combined with extra features such as the rotisserie and dual fans, the FCS90 will be at home in any busy modern family home.



FCS90
9 Function Stainless Steel Fascia
Freestanding Cooker - 900mm

Functions

- Defrost
- Bottom Element
- Grill Element
- Top and Grill Elements
- Top and Grill Elements and Fan
- Conventional Fan Forced
- Top and Bottom Elements
- Top and Bottom Elements and Fan

Cooktop Features

- Finger Mark Resistant Stainless Steel 5 Burner Gas Cooktop
- 2 Rapid Burners, 1 Semi Rapid, 1 Aux Burner and 1 Central Wok Burner
- Cast Iron Trivets
- Flame Failure Device

Oven Features

- Advanced Dual Rear Fans
- Tangential Cooling Fan
- Triple Glazed Glass Door
- LED Programmable Timer
- Oven Light
- 112 Litre Capacity
- Rotisserie

Standard Accessories

- 2 Sliding Racks and 1 Enamel Baking Tray



Fully electric, with a large 5 zone electric cooktop and huge oven cavity, plus premium features such as 3 rotisserie functions and powerful dual fans, the FEC90 will be a perfect fit for any new home.



FEC90

9 Function Stainless Steel Fascia Freestanding Cooker - 900mm

Functions

- Light
- Defrost
- Bottom Element
- Conventional
- Fan Bake
- Medium Grill
- Grill
- Fan Grill
- Fan Forced
- +3 Rotisserie Modes

Cooktop Features

- 5 Zone Electric Cooktop including 1 Double Ring and 1 Flexible Zone Burner
- Easy to Clean Ceramic Glass
- Residual Heat Indicator

Oven Features


- Black Glass & Stainless Steel
- Twin Fans for Quick Pre-heat
- Cavity Cooling System
- Triple Layer Glass Oven Door
- LED Programmable Timer
- Closed Door Grilling
- Height Adjustable Feet
- Storage Drawer Compartment
- 112 Litre Capacity

Standard Accessories

- 2 Sliding Racks and 1 Enamel Baking Tray



Featuring a generous 94 litre capacity, ten functions and a modern designer fascia, the DEOX90 will be perfect for any discerning home chef seeking a great looking, easy to use, high-quality flexible inbuilt oven.



DEO-X90

Premium Stainless Steel 10 Function Fan Forced Electric Oven - 900mm

Functions


- Light
- Defrost
- Fan Forced
- Grill Element
- Double Grill
- Double Grill with Fan Assist
- Bottom Element
- Top & Bottom Elements
- Top & Bottom Elements with Fan Assist
- ECO (Fan Forced, no lamps, energy saving)

Features

- 10 Functions
- Huge 94 Litre Capacity
- Rotisserie Function
- Modern Designer Styling
- Thin Stainless Steel Fascia
- Triple Glazed Glass Doors
- Stainless Steel Handle
- Easy Removable Door + Shelf Supports
- Cavity Cooling System
- Digital LED Timer Control Panel
- Premium Push/Pull Knobs
- Heavy Duty Build
- Dual Lamp
- Mirror Glass



Featuring a generous 94 litre capacity, ten functions and a all-black designer fascia, the DEOX90B will be perfect for any discerning home chef seeking a great looking, easy to use, high-quality flexible inbuilt oven.



DEO-X90B

Premium All-Black 10 Function Fan Forced Electric Oven - 900mm

Functions

- Light
- Defrost
- Fan Forced
- Grill Element
- Double Grill
- Double Grill with Fan Assist
- Bottom Element
- Top & Bottom Elements
- Top & Bottom Elements with Fan Assist
- ECO (Fan Forced, no lamps, energy saving)

Features

- 10 Functions
- Huge 94 Litre Capacity
- Rotisserie Function
- Modern Designer Styling
- All-Black Fascia
- Black Stainless Steel Handle
- Triple Glazed Glass Doors
- Easy Removable Door + Shelf Supports
- Cavity Cooling System
- Digital LED Timer Control Panel
- Premium Black Push/Pull Knobs
- Heavy Duty Build
- Dual Lamp
- Black Mirror Glass



DEO-912

Pyrolytic Cleaning 10 Function Fan Forced Electric Oven - 600mm

Functions

- Light
- Defrost
- Fan Forced
- Grill Element
- Top and Grill Elements
- Top and Grill Elements and Fan
- Top and Bottom Elements
- Bottom Element
- Top and Bottom Elements and Fan
- Pyrolytic

Features

- 10 Functions
- Fully Multifunctional
- Pyrolytic Cleaning
- Quad Glazed Glass Door
- 70 Litre Capacity
- Closed Door Grill
- Easily Removable Door
- Enamel Cavity
- Cavity Cooling System
- Stainless Steel
- Digital LED Control Panel
- Push/Pull Aluminium Knobs
- 9 Hour Timer
- Dimensions (WxHxD): 595mm X 595mm X 575mm



DDO-60-SSA

Double Fan Forced Electric Oven - 600mm

Functions

- Top Oven
- Light
- Grill Element
- Top and Grill Elements
- Top and Bottom Elements
- Bottom Oven
- Light
- Defrost
- Grill Element
- Top and Grill Elements Fan Assist
- Top and Grill Elements
- Bottom Element
- Grill and Bottom Elements
- Grill and Bottom Elements Fan Assist
- Fan Forced

Features

- Stylish Black Glass and Stainless Steel Fascia
- Easily Removable Doors
- Digital Touch Timer
- Top Oven
- 35 Litre Capacity
- Bottom Oven
- Large 70 Litre Capacity



ME0-007
5 Function Fan Forced Electric Oven - 600mm

- Functions**
- Defrost
 - Light
 - Fan Forced
 - Grill Element
 - Grill Element and Fan

- Features**
- 5 Functions
 - Triple Glazed Glass Door
 - 70 Litre Capacity
 - Closed Door Grill
 - Easily Removable Door
 - Cavity Cooling System
 - Stainless Steel Fascia
 - Mechanical Controls
 - 2 Hour Timer
 - 10 Amp Plug - Plugs into a standard powerpoint
 - Dimensions (WxHxD): 595mm X 595mm X 575mm

DS0-5
5 Function Fan Forced Electric Oven - 600mm

- Functions**
- Defrost
 - Light
 - Fan Forced
 - Grill Element
 - Grill Element and Fan

- Features**
- 5 Functions
 - Triple Glazed Glass Door
 - 72 Litre Capacity
 - Closed Door Grill
 - Easily Removable Door
 - Cavity Cooling System
 - Black Glass Fascia
 - Mechanical Function and Temperature Controls
 - 24 Hour Digital Timer
 - 10 Amp Plug - Plugs into a standard powerpoint
 - Dimensions (WxHxD): 595mm X 595mm X 575mm

DE0-316
5 Function Fan Forced Electric Oven - 600mm

- Functions**
- Defrost
 - Light
 - Fan Forced
 - Grill Element
 - Grill Element and Fan

- Features**
- 5 Functions
 - Triple Glazed Glass Door
 - 70 Litre Capacity
 - Closed Door Grill
 - Easily Removable Door
 - Cavity Cooling System
 - Stainless Steel Fascia
 - LED Display
 - Aluminium Knobs
 - Digital Timer
 - 10 Amp Plug - Plugs into a standard powerpoint
 - Dimensions (WxHxD): 595mm X 595mm X 575mm



DE0-502
5 Function Fan Forced Electric Oven - 600mm

- Functions**
- Defrost
 - Light
 - Fan Forced
 - Grill Element
 - Grill Element and Fan

- Features**
- 5 Functions
 - Triple Glazed Glass Door
 - 70 Litre Capacity
 - Closed Door Grill
 - Easily Removable Door
 - Cavity Cooling System
 - Stainless Steel Trim
 - LED Display
 - Aluminium Knobs
 - Digital Timer
 - 10 Amp Plug - Plugs into a standard powerpoint
 - Dimensions (WxHxD): 595mm X 595mm X 575mm

ME0-747
9 Function Fan Forced Electric Oven - 600mm

- Functions**
- Light
 - Defrost
 - Fan Forced
 - Bottom Heat
 - Conventional Heat
 - Conventional and Fan
 - Radiant Grilling
 - Double Grilling
 - Double Grilling and Fan

- Features**
- 9 Functions
 - Fully Multifunctional
 - Tripled Glazed Glass Door
 - 70 Litre Capacity
 - Closed Door Grill
 - Easily Removable Door
 - Cavity Cooling System
 - Stainless Steel
 - Easy Use Analogue Controls
 - Stainless Steel Knobs
 - 2 Hour Timer
 - Dimensions (WxHxD): 595mm X 595mm X 575mm

DE0-814
9 Function Fan Forced Electric Oven - 600mm

- Functions**
- Light
 - Defrost
 - Fan Forced
 - Grill Element
 - Top and Grill Elements
 - Top and Grill Elements and Fan
 - Top and Bottom Elements
 - Bottom Element
 - Top and Bottom Elements and Fan

- Features**
- 9 Functions
 - Fully Multifunctional
 - One Pair Full Telescopic Runners
 - Tripled Glazed Glass Door
 - 70 Litre Capacity
 - Catalytic Self Cleaning Liners (Both Sides)
 - Closed Door Grill
 - Easily Removable Door
 - Cavity Cooling System
 - Stainless Steel
 - Digital LED Control Panel
 - Push/Pull Knobs
 - 9 Hour Timer
 - Dimensions (WxHxD): 595mm X 595mm X 575mm

MICROWAVE OVENS



Ovens



Microwave

Domain's microwave ovens are elegantly designed to seamlessly integrate into your kitchen and save you time. They offer features such as convection, microwave and grilling to allow quick preparation of your dishes. You can even brown or crisp food for a restaurant quality presentation.

MWB-32

Premium Built In Stainless Steel Microwave, Grill and Convection Oven - 600mm

Functions

- Fully Built In Microwave
- Large 32 Litre Cavity
- Stainless Steel Cavity
- Stainless Steel Fascia and Control Panel
- Easy Push Button Door Opening
- 1000W Microwave Output
- 1100W Grill Output
- 2300W Convection Power
- 5 Power Levels
- Defrost (weight or time)
- 10 Auto Menus
- Child Safety Lock
- Dimensions (WxHxD): 595mm x 388mm x 480mm

MWB-34B

Premium Built In Black Stainless Steel Microwave, Grill and Convection Oven - 600mm

Functions

- Fully Built In Microwave
- Large 34 Litre Cavity
- Stainless Steel Cavity
- Black Stainless Steel Fascia and Touch Control Panel
- Easy Push Button Door Opening
- 1000W Microwave Output
- 1100W Grill Output
- 2300W Convection Power
- 5 Power Levels
- Defrost by Weight or Time
- 10 Different Food Pre-sets
- 315mm turntable plate
- Child Safety Lock
- 10 Amp Plug
- Dimensions (WxHxD): 595mm x 388mm x 480mm

COOKTOPS

Cooktops

Domain has created a large range of cooktops including the latest in induction technologies, electric cooktops and gas burners.


These powerful and easy to clean cooktops will deliver reliable quick heat to satisfy any home chef.

Electric




Speed

High powered elements are tightly coiled under the glass surface ensuring ultrafast heat up times and a fast boiling point.



Easy to Clean

Domain's ceramic cooktops have external parts. The even non-porous sheet of glass utilises touch controls so cleaning is as easy as quickly wiping across the surface with a dry cloth.



Residual Heat Indicators

Residual Heat Indicators indicate if a cooktop's surface has residual heat. This preventive feature indicates when it's hot enough to continue cooking.



Touch Control

Total control at your fingertips. Simple nine stage heat control with just a touch.

Gas



Safety

All gas cooktops in Domain's range include Flame Failure Devices which shut off the cooktop's gas supply if no flame is detected. This prevents unknown gas leakages making Flame Failure Devices one of the most popular safety features available.



Cast Iron Trivet Supports

Cast Iron Trivet Supports compliment the aesthetics of selected Domain gas cooktops with a sturdy, practical and professional base for your cookware. They provide support and stability for cooking and are standard inclusions for selected models.



Wok Burners

Wok Burners are designed to compliment popular stir fry cooking. Providing heat and rapid speed, these burners have additional trivet supports to accommodate woks and other pans with round bases.



Gas Cooktops

Stainless Steel gas cooktops are available in many different sizes, power levels and configurations. Quality burners are available for slow simmering sauces to extreme heat for steaks and stir fries.

Domain's stainless steel gas cooktops combine sleek lines in one piece pressed stainless steel, some of the most powerful burners, precise temperature control, easy ignition and durable quality trivets to provide fantastic cooking flexibility.

IGC30-FFD

2 Burner Gas Cooktop + FFD - 300mm

Features

- 2 Burners
- Stainless Steel Base
- Electric Ignition Under Knob
- One Piece Press For Ease of Cleaning
- Flame Failure Device
- Made in Italy

Technical Information

Rapid Burner

10.0 Mj/h

Auxiliary Burner

3.6 Mj/h

Appliance fitted with a 10amp 3 pin plug.

Optional

LPG Jets available on request

GAS60-STD-B

4 Burner Gas Cooktop - 580mm

Features

- 4 Burners
- Stainless Steel Base
- Electric Ignition Under Knob
- One Piece Press For Ease of Cleaning
- Flame Failure Device

Technical Information

Rapid Burner

10.8 Mj/h

Semi Rapid Burners

6.3 Mj/h



Auxiliary Burner

3.6 Mj/h

Appliance fitted with a 10amp 3 pin plug.

Optional

LPG Jets available on request



SSW-60

Stainless Steel Gas Cooktop + Cast Iron Trivets + Wok Burner - 594mm

Features

- 4 Burners
- Stainless Steel Base
- Flame Failure Safety Device
- Triple Ring Wok Burner
- Slim Line Design
- Cast Iron Trivets
- Electric Ignition Under Knob
- Front Knob Controls
- One Piece Press for Ease of Cleaning

Technical Information

Triple Ring Wok Burner

13.5 Mj/h

2x Semi Rapid Burners

6.3 Mj/h

Auxiliary Burner

4.3 Mj/h

Appliance fitted with a 10amp 3 pin plug.

Optional

LPG Jets available on request

SSW-90

Stainless Steel Gas Cooktop + Cast Iron Trivets + Side Wok Burner - 860mm

Features

- 5 Burners
- Stainless Steel Base
- Flame Failure Safety Device
- Side Triple Ring Wok Burner
- Slim Line Design
- Cast Iron Trivets
- Electric Ignition Under Knob
- Front Knob Controls
- One Piece Press for Ease of Cleaning

Technical Information

Triple Ring Wok Burner

13.5 Mj/h

Rapid Burner

10.8 Mj/h

2x Semi Rapid Burners

6.3 Mj/h

Auxiliary Burner

4.3 Mj/h

Appliance fitted with a 10amp 3 pin plug.

Optional

LPG Jets available on request

GCC-90

Stainless Steel Gas Cooktop + Cast Iron Trivets + Wok Burner - 860mm

Features

- 5 Burners
- Stainless Steel Base
- Centre Triple Ring Wok Burner
- Electric Ignition Under Knob
- Front Knob Controls
- Flame Failure Device
- Slimline Design with Cast Iron Trivets
- One Piece Press For Ease of Cleaning

Technical Information

Wok Burner

15.2 Mj/h

Rapid Burner

10.8 Mj/h

Semi Rapid Burners

6.3 Mj/h

Auxiliary Burner

4.1 Mj/h

Appliance fitted with a 10amp 3 pin plug.

Optional

LPG Jets available on request



IGC60-WOK-A

Stainless Steel Gas Cooktop + Cast Iron Trivets + Italian Made - 580mm

Features

- 4 Burners
- Stainless Steel Base
- Triple Ring Wok Burner
- Cast Iron Trivets
- Front Knob Controls
- Flame Failure Device
- One Piece Press For Ease of Cleaning
- Made in Italy

Technical Information

Wok Burner
14.5 Mj/h
Rapid Burner
12.0 Mj/h
Semi Rapid Burners
7.1 Mj/h
Auxiliary Burner
4.1 Mj/h

Appliance fitted with a 10amp 3 pin plug.

Optional

LPG Jets available on request

IGC70-WOK-A

Stainless Steel Gas Cooktop + Cast Iron Trivets + Italian Made - 680mm

Features

- 5 Burners
- Stainless Steel Base
- Centre Triple Ring Wok Burner
- Cast Iron Trivets
- Front Knob Controls
- Flame Failure Device
- Cut Out Dimensions same as 580mm Cooktop
- One Piece Press For Ease of Cleaning
- Made in Italy

Technical Information

Wok Burner
14.5 Mj/h
Rapid Burner
12.0Mj/h
Semi Rapid Burners
7.1 Mj/h
Auxiliary Burner
4.1 Mj/h

Appliance fitted with a 10amp 3 pin plug.

Optional

LPG Jets available on request

IGC90-WOK-A

Stainless Steel Gas Cooktop + Cast Iron Trivets + Wok Burner + Italian Made - 860mm

Features

- 5 Burners
- Stainless Steel Base
- Centre Triple Ring Wok Burner
- Electric Ignition Under Knob
- Front Knob Controls
- Flame Failure Device
- Slimline Design with Cast Iron Trivets
- One Piece Press For Ease of Cleaning
- Made in Italy

Technical Information

Wok Burner
14.5 Mj/h
Rapid Burner
12.0 Mj/h
Semi Rapid Burners
7.1 Mj/h
Auxiliary Burner
4.1 Mj/h

Appliance fitted with a 10amp 3 pin plug.

Optional

LPG Jets available on request



Gas on Glass Cooktops

Gas on glass cooktops are the combination of the easy cleaning of a high-quality glass surface with the powerful and precise control gas cooking provides.

Domain's gas on glass cooktops feature premium black glass, designer cast iron trivets, high-end burners and quality controls to produce a blend of elegance, power, durability, and easy of use to suit the most basic to advanced home cooks.

GOG-60S

Gas on Glass Cooktop + FFD + Wok Burner - 600mm

Features

- Tempered Black Glass Base
- Individual Burner Cast Iron Trivets
- Easy to Clean
- Triple Ring Wok Burner
- 4 Burners
- Electric Ignition Under Knob
- Flame Failure Device

Technical Information

Wok Burner
12.3MJ
Rapid Burner
11.0MJ
Semi Rapid Burner
6.5MJ
Auxiliary Burner
3.8MJ

Appliance fitted with a 10amp 3 pin plug.

Optional

LPG Jets available on request

GOG-90S

Gas on Glass Cooktop + FFD + Wok Burner - 900mm

Features

- Tempered Black Glass Base
- Slimline Design Cast Iron Trivets
- Easy to Clean
- Triple Ring Wok Burner
- 5 Burners
- Electric Ignition Under Knob
- Flame Failure Device


Technical Information

Wok Burner
14.6MJ
Rapid Burner
10.8MJ
Semi Rapid Burner
6.3MJ
Auxiliary Burner
3.6MJ

Appliance fitted with a 10amp 3 pin plug.

Optional

LPG Jets available on request



GGW-90

Gas on Glass Cooktop +
Cast Iron Trivets +
Side Wok Burner - 900mm

Features

- 5 Burners
- Stylish Black Glass Base
- Flame Failure Safety Device
- Side Triple Ring Wok Burner
- Cast Iron Trivets
- Electric Ignition Under Knob
- Black Front Knob Controls
- Easy to Clean

Technical Information

Triple Ring Wok Burner

13.5 MJ/h

Rapid Burner

10.8 MJ/h

2x Semi Rapid Burners

6.3 MJ/h

Auxiliary Burner

4.3 MJ/h

Appliance fitted with
a 10amp 3 pin plug.

Optional

LPG Jets available on request



GOG-60-LX

Premium Gas on Glass Cooktop +
FFD + Wok Burner + Italian Made
- 610mm

Features

- Premium Extra Resilient European Black Ceramic Glass Base
- Heavy Duty Rear Cast Iron Trivet Support
- Easy to Clean
- Extra Powerful Triple Ring Wok Burner
- 4 Burners
- Electric Ignition Under Knob
- Flat Cast Iron Trivets
- Flame Failure Device
- Made in Italy

Technical Information

Ultra Rapid Burner

14.4MJ

Rapid Burner

10.8MJ

Semi Rapid Burner

6.3MJ

Auxiliary Burner

3.6MJ

Appliance fitted with
a 10amp 3 pin plug

Optional

LPG Jets available on request.



GOG-70-LX

Premium Gas on Glass Cooktop +
FFD + Wok Burner + Italian Made
- 700mm

Features

- Premium Extra Resilient European Black Ceramic Glass Base
- Heavy Duty Rear Cast Iron Trivet Support
- Easy to Clean
- Extra Powerful Triple Ring Wok Burner
- 5 Burners
- Electric Ignition Under Knob
- Flat Cast Iron Trivets
- Flame Failure Device
- Made in Italy

Technical Information

Ultra Rapid Burner

14.4MJ

Rapid Burner

10.8MJ

Semi Rapid Burner

6.3MJ

Semi Rapid Burner

5.0MJ

Auxiliary Burner

3.6MJ

Appliance fitted with
a 10amp 3 pin plug.

Optional

LPG Jets available on request



GOG-90-LX

Premium Gas on Glass Cooktop +
FFD + Side Wok Burner + Italian Made
- 870mm

Features

- Premium Extra Resilient European Black Ceramic Glass Base
- Heavy Duty Rear Cast Iron Trivet Support
- Easy to Clean
- Extra Powerful Triple Ring Side Wok Burner
- 5 Burners
- Electric Ignition Under Knob
- Flat Cast Iron Trivets
- Flame Failure Device
- Made in Italy

Technical Information

Ultra Rapid Burner

14.4MJ

Rapid Burner

10.8MJ

Semi Rapid Burner

6.3MJ

Semi Rapid Burner

5.0MJ





Auxiliary Burner

3.6MJ

Appliance fitted with
a 10amp 3 pin plug.

Optional

LPG Jets available on request



Electric Ceramic Cooktops

Electric cooktops are great choices when wanting an easy to use and clean cooking surface. These premium flat ceramic glass cooktops provide superior pot and pan movability whilst also being extremely easy to clean.

The quality high end elements and advanced touch controls allow for ease of use and flexible temperature control.

CEC-30

Ceramic Glass Electric Cooktop with Touch Controls - 288mm

Features

- Two Hot Plates
- Thermostat
- Residual Heat Indicator
- Easy to Clean
- Easy to Use Touch Controls
- 9 Stage Power Setting
- Child Safety Lock
- Timer

Technical Information

Front Burner

1200W

Rear Burner

1800W

Maximum Load at 230V

3000W

CEH-60-S

Ceramic Glass Electric Cooktop with Touch Controls - 590mm

Features

- Four Hot Plates
- Thermostat
- Residual Heat Indicator
- Easy to Clean
- Easy to Use Touch Controls
- 9 Stage Power Setting
- Child Safety Lock
- Timer

Technical Information

Front Left Burner

1800W

Rear Left Burner

1200W

Front Right Burner

1200W

Rear Right Burner

1800W

Maximum Load at 230V

6000W

CEC-60-T2

Ceramic Glass Electric Cooktop with Touch Controls - 590mm

Features

- Four Hot Plates Including 1 Double Ring
- Thermostat
- Residual Heat Indicator
- Easy to Clean
- Easy to Use Touch Controls
- 9 Stage Power Setting
- Child Safety Lock
- Timer

Technical Information

Front Left Burner

1800W

Rear Left Burner

1200W

Front Right Burner

1200W

Rear Right Burner

2200W

Maximum Load at 230V

6400W

CEC-70

Ceramic Glass Electric Cooktop with Touch Controls - 700mm

Features

- Four Hot Plates Including 1 Double Ring
- Thermostat
- Residual Heat Indicator
- Easy to Clean
- Easy to Use Touch Controls
- 9 Stage Power Setting
- Child Safety Lock
- Timer

Technical Information

Front Left Burner

1800W

Rear Left Burner

1200W

Front Right Burner

1200W

Rear Right Burner

2200W

Maximum Load at 230V

6400W

CEC-77

Ceramic Glass Electric Cooktop with Touch Controls - 770mm

Features

- Four Hot Plates Including 1 Double Ring and 1 Dual Zone
- Thermostat
- Residual Heat Indicator
- Easy to Clean
- Easy to Use Touch Controls
- 9 Stage Power Setting
- Child Safety Lock
- Timer

Technical Information

Front Left Burner

2200W

Rear Left Burner

2000W

Front Right Burner


1200W

Rear Right Burner

1800W

Maximum Load at 230V

7200W



CEC-90

Ceramic Glass Electric Cooktop with Touch Controls - 900mm

Features

- Four Hot Plates Including 1 Double Ring and 1 Dual Zone
- Thermostat
- Residual Heat Indicator
- Easy to Clean
- Easy to Use Touch Controls
- 9 Stage Power Setting
- Child Safety Lock
- Timer

Technical Information

Front Left Burner
2200 / 1100W

Rear Left Burner
2000W / 1100W

Front Right Burner
1200W

Rear Right Burner
1800W


Maximum Load at 230V
7200W

Induction Cooktops

Induction is the safest and most efficient cooking method. It cooks faster than other direct heat sources (gas and ceramic) and has great control. From boil to a fine simmer in seconds.

Induction cooktops are unlike traditional methods that rely on the surface of the pan being directly heated by gas or electric burners.

Under the glass surface of the induction cooktop are generators that send high frequency current through the glass surface into the pan placed on the cooktop. These magnetic currents heat up the pan directly, not the cooktop.



IND30-EC

Premium Ceramic Glass Induction Cooktop - 290mm

Features


- Premium Dual Bridge Technology - Greater Control
- Two Zone Boost Function
- Pan Sensor
- Thermostat
- Residual Heat Indicators
- Easy to Clean
- Touch Controls
- 9 Stage Power Setting
- Over Temperature Protection
- Child Safety Lock
- Timer

Technical Information

Front Burner
1300W / 1500W with boost

Rear Burner
1800W / 2000W with boost

Maximum Load at 230V
3500W



IND60-LA

Premium Ceramic Glass Induction Cooktop - 590mm

Features


- 10 Amp Plug - Simply connects to a standard home powerpoint
- Premium Dual Bridge Technology - Allows Greater Simmer Control
- Residual Heat Indicators
- Precise Thermostat
- Premium Ceramic Glass
- Easy to Clean
- Easy to Use Touch Controls
- 9 Stage Power Setting
- Pan Sensor
- Child Safety Lock
- Automatic Safety Switch Off
- Overheating Protection
- Digital LED Display
- Timer

Technical Information

Front Left & Rear Right Burners
1500W

Front Right & Rear Left Burners
2100W

Maximum Load at 230V
2400W



IND60-G

Premium Ceramic Glass Induction Cooktop - 590mm

Features



- Premium Dual Bridge Technology - Allows Greater Simmer Control
- Residual Heat Indicators
- Precise Thermostat
- Premium Ceramic Glass
- Easy to Clean
- Easy to Use Touch Controls
- 9 Stage Power Setting
- Pan Sensor
- Child Safety Lock
- Automatic Safety Switch Off
- Overheating Protection
- Digital LED Display
- Timer

Technical Information

Front Left & Rear Right Burners
1500W

Front Right & Rear Left Burners
2100W

Maximum Load at 230V
7200W



ITR-60

**Premium Ceramic Glass
Induction Cooktop - 590mm**

Features

- Flexible Multi-Zone Induction Hobs
- Premium Dual Bridge Technology
 - Allows Greater Simmer Control
- Digital LED Control Panel
- Slide-Touch Precise Thermostat
- Residual Heat Indicators
- Premium European Glass
- Easy to Clean
- Touch Controls
- 9 Stage Power Setting
- Direct Power Setting
- Pan Sensor
- Child Safety Lock
- Automatic Safety switch off
- Electronic Minute Timer

Technical Information

Front Left & Right Burners

2200W / 3300W with Boost

Rear Left & Right Burners

2200W / 3300W with Boost

Left & Right Flexible Zone Burners

3300W / 3700W with Boost

Maximum Load at 230V

7400W

IND77-EC

**Premium Ceramic Glass
Induction Cooktop - 770mm**

Features

- Premium Dual Bridge Technology
 - Allows Greater Simmer Control
- Large Powerful Flexible Zone
- Boost Function
- Residual Heat Indicators
- Precise Thermostat
- Premium Ceramic Glass
- Easy to Clean
- Easy to Use Touch Controls
- 9 Stage Power Setting
- Pan Sensor
- Child Safety Lock
- Automatic Safety Switch Off
- Overheating Protection
- Digital LED Display
- Timer

Technical Information

Front Left & Rear Left Burners

1800W / 2300W with Boost

Middle Burner

3000W / 3600W with Boost

Right Burner

1200W / 1500W with Boost

Flexible Zone Burner

3000W / 3600W with Boost

Maximum Load at 230V

7000W

IND90-EC

**Premium Ceramic Glass
Induction Cooktop - 900mm**

Features

- Premium Dual Bridge Technology
 - Allows Greater Simmer Control
- Dual Large Powerful Flexible Zones
- Boost Function
- Residual Heat Indicators
- Precise Thermostat
- Premium Ceramic Glass
- Easy to Clean
- Easy to Use Touch Controls
- 9 Stage Power Setting
- Pan Sensor
- Child Safety Lock
- Automatic Safety Switch Off
- Overheating Protection
- Digital LED Display
- Timer

Technical Information

Front Left & Rear Left Burners

1800W / 2300W with Boost

Large Middle Burner

2200W / 3000W with Boost

Front Right & Rear Right Burners

1800W / 2300W with Boost

Flexible Zone Burner

3000W / 3600W with Boost

Maximum Load at 230V

9500W

RANGEHOODS

Rangehoods

Domain's rangehoods are designed for simple responsive extraction and efficient performance. They extract steam, smoke, grease and cooking odours whilst incorporating contemporary design and quality sure to complement any modern kitchen.



Stylish Design

Domain understands the need to create the perfect cooking environment whilst incorporating your personal style and lifestyle. Whether it is the stunning sleek contemporary fascia and glass of the canopy rangehoods or the striking bold lines of the slideout rangehoods, you are sure to find a perfect style to suit any kitchen interior.



Illumination

All Domain rangehoods feature illumination to accomplish the best environment for the preparation and cooking. All models feature at minimum dual lights with some models even featuring high-powered and energy efficient LED globes.



High Quality Filters

The designer inspired Domain rangehoods feature high quality filters. Most models use aluminium filters that are designed to collect cooking related particles. They are also designed to allow easy cleaning in the dishwasher.



Easy Control

Many of Domain's canopy rangehoods feature a streamlined electronic control panel. This centrally front located panel makes operation simple with just a touch.



Powerful Barrel Motor

Many of Domains' rangehoods feature powerful tangential fans.

A tangential fan has a barrel shaped motor. It is an advanced technology that allows greater powerful output and suction whilst producing far lower background noise than cheaper and less advanced fan types.





Extraction or Recirculation

All of Domain's rangehoods can be operated in two different methods being extraction mode or recirculation mode.

Extraction mode allows expelling of the cooking vapours externally out of your home.

Recirculation mode filters the cooking vapours with charcoal filters (sold separately) eliminating cooking odours and then returning the filtered air back into the kitchen.



Canopy Rangehoods

Canopy rangehoods are chimney designs that sit above your cooktop either mounted to the wall. They are available in an extensive range of styles and designs ranging from contemporary to ultra modern.

Domain's canopy rangehoods are powerful solutions for extracting odours, vapour and steam in your kitchen while providing a distinct designer visual impact.

RHD60-CURV-A

Stainless Steel Curved Glass Canopy Rangehood - 600mm

Features

- Wall Mounted
- Stylish Stainless Steel Design
- Premium Tempered Glass
- Push Button Controls
- 210w Large Barrel Motor
- 750m³/h Air Flow
- Triple Speed Fan
- Twin 2W LED Lights
- Five Layer Aluminium Filters
- Premium Dishwasherable Filters
- 150mm Diameter Outlet
- Extendable Flue to 1.0m

Note

Charcoal filters are sold separately (required in re-circulating use)

RHD90-CURV-A

Stainless Steel Curved Glass Canopy Rangehood - 900mm

Features

- Wall Mounted
- Stylish Stainless Steel Design
- Premium Tempered Glass
- Push Button Controls
- 210w Large Barrel Motor
- 750m³/h Air Flow
- Triple Speed Fan
- Twin 2W LED Lights
- Five Layer Aluminium Filters
- Premium Dishwasherable Filters
- 150mm Diameter Outlet
- Extendable Flue to 1.0m

Note

Charcoal filters are sold separately (required in re-circulating use)

PCR-90E

Stainless Steel Curved Glass Canopy Rangehood - 900mm

Features

- Wall Mounted
- Designer Black Glass Control Panel
- Stylish Stainless Steel Design
- Premium Tempered Glass
- Huge 1000m³/ hr Air Flow
- Invisible Premium Touch Controls
- LED Display
- Triple Speed Fan
- Dual 1.5W LED Lights
- Five Layer Aluminium Filters
- Premium Dishwasherable Filters
- 150mm Diameter Outlet
- Stainless Steel Telescopic Flue Extendable to 1.0m

Note

Charcoal filters are sold separately (required in re-circulating use)

RHD-60-TAPE-A

Stainless Steel Tapered Canopy Rangehood - 600mm

Features

- Wall Mounted
- Stylish Stainless Steel Design
- Push Button Controls
- 210w Large Barrel Motor
- 750m³/h Air Flow
- Triple Speed Fan
- Twin 2W LED Lights
- Five Layer Aluminium Filters
- Dishwasherable Filters
- 150mm Diameter Outlet
- Stainless Steel Telescopic Flue Extendable to 1.0m

Note

Charcoal filters are sold separately (required in re-circulating use)

RHD90-TAPE-A

Stainless Steel Tapered Canopy Rangehood - 900mm

Features

- Wall Mounted
- Stylish Stainless Steel Design
- Push Button Controls
- 210w Large Barrel Motor
- 750m³/h Air Flow
- Triple Speed Fan
- Twin 2W LED Lights
- Five Layer Aluminium Filters
- Dishwasherable Filters
- 150mm Diameter Outlet
- Stainless Steel Telescopic Flue Extendable to 1.0m

Note

Charcoal filters are sold separately (required in re-circulating use)



PRH90-S

Stainless Steel Flat Canopy Rangehood - 900mm

- Features
- Wall Mounted
 - Stylish Flat Stainless Steel Design
 - Invisible LCD Touch Controls
 - Powerful Die Cast 320w Large Barrel Motor
 - Huge 1000m³/h Air Flow
 - Quad Speed Fan
 - Bright Low Power 8W LED Stripe
 - 99 Minute Timer
 - Five Layer Aluminium Filters
 - Premium Dishwasherable Filters
 - Designer Hinged Baffle Plate
 - 150mm Diameter Outlet
 - Stainless Steel Telescopic Flue Extendable to 1.0m

Note

Charcoal filters are sold separately (required in re-circulating use)


HLF-90

Premium Stainless Steel Flat Canopy Rangehood with LED Light Panel- 900mm

- Features
- Wall Mounted
 - Stylish Flat Stainless Steel Design
 - Bright Low Power 8W LED Light Panel
 - Invisible LCD Touch Controls
 - Powerful Die Cast 320w Large Barrel Motor
 - Huge 1000m³/h Air Flow
 - Quad Speed Fan
 - 99 Minute Timer
 - Five Layer Aluminium Filters
 - Premium Dishwasherable Filters
 - Designer Hinged Baffle Plate
 - 150mm Diameter Outlet
 - Stainless Steel Telescopic Flue Extendable to 1.0m

Note

Charcoal filters are sold separately (required in re-circulating use)



Integrated Rangehoods

An integrated rangehood is a discrete built in solution for extracting odours, vapour and steam. They are mounted through the bottom of your overhead cupboard and allow a seamless overhead cabinet design above your cooktop as they are hidden from view.

Domain's integrated rangehoods are an extremely attractive option for modern kitchens. They feature coated stainless steel fascias that blend designer elegance with power, control and durability.

HIT-60

Powerful Integrated Under Mount Canopy Rangehood - 565mm

- Features
- Sleek Integrated Under Mount Design
 - Perfect for 60cm Cabinets
 - Classic white finish to match finish under cabinetry
 - Push Button Controls
 - Powerful Die Cast 320w Large Barrel Motor
 - Huge 1000m³/h Air Flow
 - Triple Speed Fan
 - Dual 2.0W LED Lights
 - Five Layer Aluminium Filters
 - Premium Dishwasherable Filters
 - 150mm Diameter Outlet

Note

Charcoal filters are sold separately (required in re-circulating use)


HIT-90

Powerful Integrated Under Mount Canopy Rangehood - 865mm

- Features
- Sleek Integrated Under Mount Design
 - Perfect for 90cm Cabinets
 - Classic white finish to match finish under cabinetry
 - Push Button Controls
 - Powerful Die Cast 320w Large Barrel Motor
 - Huge 1000m³/h Air Flow
 - Triple Speed Fan
 - Dual 2.0W LED Lights
 - Five Layer Aluminium Filters
 - Premium Dishwasherable Filters
 - 150mm Diameter Outlet

Note

Charcoal filters are sold separately (required in re-circulating use)



Under Mount Rangehoods

An under mount rangehood is a discrete integrated solution for extracting odours, vapour and steam. They are mounted through the bottom of your overhead cupboard and allow a seamless overhead cabinet design above your cooktop as they are hidden from view.

Domain's under mount rangehoods are an extremely attractive option for modern kitchens. They feature stainless steel fascias that blend designer elegance with power, control and durability.

UMH-52B

Under Mount Rangehood - 520mm

Features

- Sleek Inbuilt Under Mount Design
- 2 X 2W LED Lights
- Triple Speed Fan
- Stainless Steel Panel
- 210w Large Barrel Motor
- 750m³/h Air Flow
- Push Button Controls
- Premium Designer Aluminium Filter
- Dishwasherable Filter
- 150mm Diameter Outlet

Note

Charcoal filters are sold separately (required in re-circulating use)

UMH-75B

Under Mount Rangehood - 750mm

Features

- Sleek Inbuilt Under Mount Design
- 2 X 2W LED Lights
- Triple Speed Fan
- Stainless Steel Panel
- 210w Large Barrel Motor
- 750m³/h Air Flow
- Push Button Controls
- Premium Designer Aluminium Filter
- Dishwasherable Filter
- 150mm Diameter Outlet

Note

Charcoal filters are sold separately (required in re-circulating use)



UMH-90B

Under Mount Rangehood - 900mm

Features

- Sleek Inbuilt Under Mount Design
- 2 X 2W LED Lights
- Triple Speed Fan
- Stainless Steel Panel
- 210w Large Barrel Motor
- 750m³/h Air Flow
- Push Button Controls
- Premium Designer Aluminium Filters
- Dishwasherable Filter
- 150mm Diameter Outlet

Note

Charcoal filters are sold separately (required in re-circulating use)

UHB-52

Powerful Black Glass Under Mount Rangehood - 520mm

Features

- Sleek Inbuilt Undermount Design
- Touch Controls & Digital Display
- 210w Large Barrel Motor
- Bright 1.5W LED Strip Light
- Three Speed Fan
- Premium Black Glass Fascia
- 750m3/h Air Flow
- Designer Hinged Baffle Plate
- Dishwashable Filter
- 150mm Diameter Outlet

Note

Charcoal filters are sold separately (required in re-circulating use)

UHB-90


Powerful Black Glass Under Mount Rangehood - 900mm

Features

- Sleek Inbuilt Undermount Design
- Touch Controls & Digital Display
- 210w Large Barrel Motor
- Bright 1.5W LED Strip Light
- Three Speed Fan
- Premium Black Glass Fascia
- 750m3/h Air Flow
- Designer Hinged Baffle Plate
- Dishwashable Filter
- 150mm Diameter Outlet

Note

Charcoal filters are sold separately (required in re-circulating use)



Fixed Mount Rangehoods

A fixed mount rangehood is a simple solution when wanting a rangehood to cover more of the cooktop. They have a considerably larger filter area than, for instance, a slideout.

Domain's fixed mount rangehoods are available in clean straight line stainless steel designs and may offer a solution for your kitchen for extracting cooking odours, vapour and steam.

FMH-60D

Fixed Mount Rangehood - 600mm

Features

- Fixed Rangehood
- Stainless Steel Fascia
- 40W Light
- Three Speeds
- 100W Motor
- 250m³/ hr Air Flow
- Push Button Controls
- Acrylic Filter
- 120mm Diameter Outlet

Note

Charcoal filters are sold separately (required in re-circulating use)

FMH-90D


Fixed Mount Rangehood - 900mm

Features

- Fixed Rangehood
- Stainless Steel Fascia
- 2 x 40W Lights
- Three Speeds
- Twin 100W Motors
- 500m³/ hr Air Flow
- Push Button Controls
- 3 x Five Layer Aluminium Filters
- Dishwasherable Filters
- 120mm Diameter Outlet

Note

Charcoal filters are sold separately (required in re-circulating use)



SMF-60

Slimline Fixed Mount Rangehood - 600mm

Features

- Fixed Rangehood
- Stainless Steel Fascia
- Glass Visor
- Bright Central 2W LED Lamp
- Three Speeds
- Twin 100W Motors
- Ducted or Recirculating Mode
- 440m³/ hr Air Flow
- Push Button Controls
- 2 x Three Layer Aluminium Filters
- Dishwasherable Filters
- 120mm Diameter Outlet

Note

Charcoal filters are sold separately (required in re-circulating use)

SMF-90



Slimline Fixed Mount Rangehood - 900mm

Features

- Fixed Rangehood
- Stainless Steel Fascia
- Glass Visor
- Bright Central 2W LED Lamp
- Three Speeds
- Twin 100W Motors
- Ducted or Recirculating Mode
- 440m³/ hr Air Flow
- Push Button Controls
- 3 x Three Layer Aluminium Filters
- Dishwasherable Filters
- 120mm Diameter Outlet

Note

Charcoal filters are sold separately (required in re-circulating use)



Slideout Rangehoods

Hidden under your cupboard, with only a slim front panel visible, a slideout rangehood offers a great solution when compactness is desired. The lights and motor will automatically operate when the front panel slider is pulled out. Once you have finished cooking just push the slider panel back in, out of sight, and the motor and lights will turn off.

Domain's slideout rangehoods come with a stylish stainless steel front panel and are the most economical solution for capturing and removing odours, vapour and steam in your kitchen.

SLR-6000

Low Height Stainless Steel Inbuilt Slide Out Rangehood - 600mm

Features

- Slide Out
- Auto On/Off Switch
- Slimline 40mm Fascia
- Stainless Steel Fascia
- Twin Motor
- 2 x 25W Lamps
- Dual Speed Fan
- 440m³/h Air Flow
- Dual Five Layer Aluminium Filters
- Dishwasherable Filters
- 120mm Diameter Outlet

Note

Charcoal filters are sold separately (required in re-circulating use)

SRC-60-REC

Stainless Steel Inbuilt Slide Out Re-circulating Rangehood - 600mm

Features

- Slide Out
- Auto On/Off Switch
- Stainless Steel Fascia Panel
- Ducted or Front Recirculating
- 80mm High Front Fascia
- 65w Barrel Motor
- 2 X 40W Lamps
- Dual Speed Fan
- 500m³/h Air Flow
- Dual Five Layer Aluminium Filters
- Dishwasherable Filters
- 150mm Diameter Outlet

Note

Includes a pair of Charcoal filters (required in re-circulating use)

SLR-60E

Stainless Steel Inbuilt Slide Out Rangehood + Optional Black Fascia* - 600mm

Features

- Slide Out
- Auto On/Off Switch
- Slimline 40mm Fascia
- Stainless Steel Fascia
- 65W Barrel Motor
- 2.0W LED Light
- Dual Speed Fan
- 500m³/h Air Flow
- Dual Five Layer Aluminium Filters
- Dishwasherable Filters
- 150mm Diameter Outlet

* Optional Black Fascia (Supplied at extra cost)

Note

Charcoal filters are sold separately (required in re-circulating use)

SLP-6000A

Premium Powerful Inbuilt Slide Out Rangehood + Optional Black Fascia* - 600mm

Features

- Slide Out
- Auto On/Off Switch
- Slimline 40mm Fascia
- Stainless Steel Fascia
- 210w Barrel Motor
- 2 X 40W Lamps
- Dual Speed Fan
- Powerful 750m³/h Air Flow
- Dual Five Layer Aluminium Filters
- Dishwasherable Filters
- 150mm Diameter Outlet

* Optional Black Fascia (Supplied at extra cost)

Note

Charcoal filters are sold separately (required in re-circulating use)



SLR-90E

**Stainless Steel Inbuilt Slide Out Rangehood
+ Optional Black Fascia* - 900mm**

Features

- Slide Out
- Auto On/Off Switch
- Slimline 40mm Fascia
- Stainless Steel Fascia
- 65W Barrel Motor
- 2 x 2.0W LED Light
- Dual Speed Fan
- 500m³/ hr Air Flow
- Dual Five Layer Aluminium Filters
- Dishwasherable Filters
- 150mm Diameter Outlet

*** Optional Black Fascia
(Supplied at extra cost)**

Note

Charcoal filters are sold separately
(required in re-circulating use)



SLP-9000A

**Premium Powerful Inbuilt Slide Out
Rangehood + Optional Black Fascia* - 900mm**

Features

- Slide Out
- Auto On/Off Switch
- Slimline 40mm Fascia
- Stainless Steel Fascia
- 210w Barrel Motor
- 2 X 40W Lamps
- Dual Speed Fan
- Powerful 750m³/h Air Flow
- Dual Five Layer Aluminium Filters
- Dishwasherable Filters
- 150mm Diameter Outlet

*** Optional Black Fascia
(Supplied at extra cost)**

Note

Charcoal filters are sold separately
(required in re-circulating use)



SLR-90C

**Slimline Stainless Steel Inbuilt Slide Out
Rangehood - 900mm**

Features

- Slimline Body
- Slide Out
- Auto On/Off Switch
- Slimline 40mm Fascia
- Stainless Steel Fascia
- 65W Barrel Motor
- 2 x 2.0W LED Light
- Dual Speed Fan
- 500m³/ hr Air Flow
- Dual Five Layer Aluminium Filters
- Dishwasherable Filters
- 150mm Diameter Outlet

Note

Charcoal filters are sold separately
(required in re-circulating use)

DISHWASHERS

Dishwashers

Cleaning up should be as easy and enjoyable as cooking. Boasting clean European-inspired looks and utilising the latest in technology, water and power efficiency, Domain's dishwashers ensure that glistening clean plates are only a push of a button away.



60cm Freestanding Dishwashers

The 60cm freestanding dishwasher is the most common dishwasher in Australian households. They are spacious and feature an easy to use two tray layout.



60cm Freestanding Premium Dishwashers

Domain's 60cm freestanding premium dishwashers offer the same great features as the standard models. In addition they offer advanced features such as an extra dry functions, digital displays, top cutlery trays and also huge 15 place setting capacities.



45cm Slimline Freestanding Dishwashers

Slimline freestanding dishwashers are available in 45cm widths. They are very popular in smaller kitchens when space is important but versatility is still required.



Fully Integrated Dishwashers

Fully integrated dishwashers provide seamless integration into any kitchen. They blend seamlessly into your kitchen by allowing you to supply your own door to match your cabinetry.



Benchtop Dishwashers


Domain's benchtop dishwashers are an ideal option for kitchens with extreme space limitations whilst still giving the convenience of a dishwasher. They are easy to move in and out of the kitchen whenever required.

DW60-X1

15 Place Stainless Steel Dishwasher - 600mm

Features

- Electronic Freestanding Dishwasher
- 15 Standard Place Settings
- Extra Dry Function
- 8 Washing Programs
- Top Cutlery Tray
- LED Display
- Adjustable Height Upper Basket
- Dual-zone Wash Function (Top or Bottom)
- Stainless Steel Interior
- Automatic Rinse Agent Dispenser
- Automatic Detergent Dispenser
- Delay Start (1 - 24hrs)
- Self Cleaning Stainless Steel Micro-Filter
- Collapsible Plate Racks
- Safety Interlock Door Mechanism
- Super Quiet Operation
- Removable Top For Built-in Installation
- 47dB
- 5.0 Star Water Rating
- 4.0 Star Energy Rating
- 11.8 L per wash
- WELS Reg D02480
- Dimensions (WxHxD): 598mm x 845mm x 610mm



DWB-S1

6 Place Silver Benchtop Dishwasher - 550mm

Features

- Freestanding Benchtop Dishwasher
- Silver Finish
- Push Button Functions:
On / Off / Program / Start -Pause / Delay /
- Six Cleaning Programs:
- Intensive - Heavy - Normal
- Glass - Rapid - Soak
- LED Indicator - Programs / Rinse
- Water Sensor
- Anti-flood Device
- Easy to Clean Filter
- Stainless Steel Interior Tub
- Foldable Plate Racks
- Cutlery Basket
- Detergent and Rinse Aid Dispenser
- Residual Drying System
- Delay Start from 1-24 hours
- LED Remaining Time and Delay Time Indicator
- Max. Plate Diameter of 25.4cm
- Standard 3/4in Inlet Hose (connect to either cold or hot water tap)
- 1.5m Inlet and Outlet Hose Lengths
- 3.5 Star Water Rating
- 7.4 L per wash
- WELS Reg D02482
- Dimensions (WxHxD):
550mm x 438mm x 500mm

DWB-W1

6 Place White Benchtop Dishwasher - 550mm

Features

- Freestanding Benchtop Dishwasher
- White Finish
- Push Button Functions:
On / Off / Program / Start -Pause / Delay /
- Six Cleaning Programs:
- Intensive - Heavy - Normal
- Glass - Rapid - Soak
- LED Indicator - Programs / Rinse
- Water Sensor
- Anti-flood Device
- Easy to Clean Filter
- Stainless Steel Interior Tub
- Foldable Plate Racks
- Cutlery Basket
- Detergent and Rinse Aid Dispenser
- Residual Drying System
- Delay Start from 1-24 hours
- LED Remaining Time and Delay Time Indicator
- Max. Plate Diameter of 25.4cm
- Standard 3/4in Inlet Hose (connect to either cold or hot water tap)
- 1.5m Inlet and Outlet Hose Lengths
- 3.5 Star Water Rating
- 7.4 L per wash
- WELS Reg D02482
- Dimensions (WxHxD):
550mm x 438mm x 500mm

DW45A

9 Place Stainless Steel Dishwasher - 450mm

Features

- Slimline Electronic Freestanding Dishwasher
- Push Button Function Controls
- 9 Standard Place Settings
- 6 Washing Programs
- Adjustable Height Upper Basket
- Flat Panel Modern European Design
- Stainless Steel Interior
- Delay Start (3/6/9hrs)
- Automatic Detergent Dispenser
- Self Cleaning Filter System
- Collapsible Plate Racks
- Removable Top For Built-in Installation
- 49dB
- 3.0 Star Water Rating
- 3.0 Star Energy Rating
- 11.2 L per wash
- WELS Reg D02478
- Dimensions (WxHxD):
448mm x 845mm x 600mm



DW60-B1

12 Place Stainless Steel Dishwasher - 600mm

Features

- Electronic Freestanding Dishwasher
- 12 Standard Place Settings
- 4 Washing Programs
- Adjustable Height Upper Basket
- Flat Panel Modern European Design
- Stainless Steel Interior
- Delay Start (3/6/9hrs)
- Adjustable Automatic Rinse Agent Dispenser
- Automatic Detergent Dispenser
- Safety Interlock Door Mechanism
- Super Quiet Operation
- Removable Top For Built-in Installation
- 49dB
- 4.5 Star Water Rating
- 3.0 Star Energy Rating
- 10.2 L per wash
- WELS Reg D02473
- Dimensions (WxHxD):
598mm x 845mm x 600mm

DW60-ITD

14 Place Fully Integrated Dishwasher - 600mm

Features

- Fully Integrated Electronic Dishwasher
- 14 Standard Place Settings
- Ready for Custom Panel Door
- Push Button Functions:
On / Off / Program / Half Load / Delay
- Six Cleaning Programs:
- Intensive - Heavy - ECO
- Glass - Rapid - 1 Hour
- Water Sensor
- Half Load Function (bottom)
- Extra Dry Function
- Delay Start (1 - 24hrs)
- Hidden Heating Element
- Easy to Clean Filter
- Stainless Steel Interior Tub
- Cutlery Basket
- 49dB
- Detergent and Rinse Aid Dispenser
- 4.5 Star Water Rating
- 3.0 Star Energy Rating
- 12.3 L per wash
- WELS Reg D02472
- Dimensions (WxHxD):
598mm x 815mm x 550mm(no door)

Door Panel / Handle not included.
Discuss with your cabinetmaker

DW60-ET

15 Place Black Stainless Steel Dishwasher - 600mm

Features

- Electronic Freestanding Dishwasher
- 15 Standard Place Settings
- Extra Dry Function
- 8 Washing Programs
- Auto Open for Improved Drying
- Top Cutlery Tray
- Large Touch Control LED Display
- Height Adjustable Upper Basket
- Dualzone Wash (Half Load) Function (Upper or Lower)
- Stainless Steel Interior Tub
- Adjustable Automatic Rinse Agent Dispenser
- Automatic Detergent Dispenser
- Delay Start (1 - 24hrs)
- Advanced Filtering System
- Collapsible Plate Rack
- Child Safety Lock
- Super Quiet Operation
- 42dB
- Removable Top For Built-in Installation
- 5.0 Star Water Rating
- 4.0 Star Energy Rating
- 11.98 L per wash
- WELS Reg D02975
- Dimensions (WxHxD):
598mm x 845mm x 600mm

SINKS

Sinks

Great sinks integrate with benchtops. They aesthetically blend with the kitchen and perfectly perform as intended. Domain's range of sinks suit all culinary needs and kitchen sizes whilst providing options for classic to contemporary designs.



Stainless Steel 18/10

Domain only uses extremely high grade stainless steel. The high quality and durable construction ensures your sink will be highly resistant to stains, rust and corrosion while maintaining a bright attractive shine.



Food Preparation Area

Every Domain sink is designed with the importance of being an ideal food preparation area that is a pleasure to use. Even more importantly our stainless steel is completely inert and as such will not hold bacteria.



Sound Deadening Panels

Selected models of Domain's sinks incorporate particularly placed sound deadening panels to minimise the noise created when either filling or draining your sink.



Hygienic Integrated Waste

The integrated waste is formed as part of the bowl. The rounded edge of this design and that of the waste basket allows easy cleaning. Just like our sinks, the waste basket is also made from stainless steel for hygiene. The stainless steel bearing on the bottom of the stem allows the waste basket to stop water flow when pushed down and when left up it will act as a sieve for foodstuffs.



POL-100A

Polished Single Bowl Kitchen Sink and Drainer - 780mm

Features

- 1 Bowl and drainer
- Stainless Steel Sink (Polished Finish)
- 0.8mm AISI-304 18/10 Grade Stainless Steel
- Square Corners
- Designer straight line design drainer
- Overall Width: 780mm
- Supplied with Designer Waste and Plug

Technical Information

Cutout Dimensions (WxL):

750mm x 450mm

Dimensions (WxLxH):

780mm x 480mm x 170mm

Bowl Size (WxLxH):

330mm x 380mm x 170mm

Available in Left Hand and Right Hand Bowl orientations



POL-150A

Polished 1+1/2 Bowl Kitchen Sink and Drainer - 980mm

Features

- 1 + 1/2 Bowl and drainer
- Stainless Steel Sink (Polished Finish)
- 0.8mm AISI-304 18/10 Grade Stainless Steel
- Square Corners
- Designer straight line design drainer
- Overall Width: 980mm
- Supplied with Designer Waste and Plug

Technical Information

Cutout Dimensions (WxL):

950mm x 450mm

Dimensions (WxLxH):

980mm x 480mm x 170mm

Main Bowl Size (WxLxH):

330mm x 380mm x 170mm

Second Bowl Size (WxLxH):

200mm x 300mm x 145mm

Available in Left Hand and Right Hand Bowl orientations



POL-175A

Polished 1+3/4 Bowl Kitchen Sink and Drainer - 1080mm

Features

- 1 + 3/4 Bowl and drainer
- Stainless Steel Sink (Polished Finish)
- 0.8mm AISI-304 18/10 Grade Stainless Steel
- Square Corners
- Designer straight line design drainer
- Overall Width: 1080mm
- Supplied with Designer Waste and Plug

Technical Information

Cutout Dimensions (WxL):

1050mm x 450mm

Dimensions (WxLxH):

1080mm x 480mm x 170mm

Main Bowl Size (WxLxH):

330mm x 380mm x 170mm

Second Bowl Size (WxLxH):

300mm x 290mm x 145mm

Available in Left Hand and Right Hand Bowl orientations



POL-200A

Polished Double Bowl Kitchen Sink and Drainer - 1180mm

Features

- 1 + 1 Bowl and drainer
- Stainless Steel Sink (Polished Finish)
- 0.8mm AISI-304 18/10 Grade Stainless Steel
- Square Corners
- Designer straight line design drainer
- Overall Width: 1180mm
- Supplied with Designer Waste and Plug

Technical Information

Cutout Dimensions (WxL):

1150mm x 450mm

Dimensions (WxLxH):

1180mm x 480mm x 170mm

Main Bowl Size (WxLxH):

330mm x 380mm x 170mm

Second Bowl Size (WxLxH):

330mm x 380mm x 170mm

Available in Left Hand and Right Hand Bowl orientations



PTM100

Premium Top Mount Single Bowl Kitchen Sink with Drainer - 780mm

Features

- Modern square designer look
- Handmade Stainless Steel Single Bowl and Drain Tray
- Deep 190mm Bowl
- Stainless Steel (Lightly Brushed Satina Finish)
- Extra Strong 1.2mm AISI-304 18/10 Grade Standard
- Handmade Tight Corner Radius Bowl
- Supplied with Designer Waste and Plug

Technical Information

Dimensions (WxLxH):

780mm x 480mm x 210mm

Main Bowl Size (WxL):

340mm x 380mm

Available in Left Hand and Right Hand Bowl orientations



PTM175

Premium Top Mount 1+3/4 Kitchen Sink with Drainer - 1080mm

Features

- Modern square designer look
- Handmade Stainless Steel 1 + 1/2 Bowls and Drain Tray
- Deep 190mm Bowl
- Stainless Steel (Lightly Brushed Satina Finish)
- Extra Strong 1.2mm AISI-304 18/10 Grade Standard
- Handmade Tight Corner Radius Bowls
- Supplied with Designer Waste and Plug

Technical Information

Dimensions (WxLxH):

1080mm x 480mm x 210mm

Main Bowl Size (WxL):

340mm x 380mm

Second Bowl Size (WxL):

280mm x 270mm

Available in Left Hand and Right Hand Bowl orientations



PTM200
Premium Top Mount 1 + 1 Kitchen Sink with Drainer - 1180mm

- Features
- Modern square designer look
 - Handmade Stainless Steel Double Bowls and Drain Tray
 - Deep 190mm Double Bowls
 - Stainless Steel (Lightly Brushed Satina Finish)
 - Extra Strong 1.2mm AISI-304 18/10 Grade Standard
 - Handmade Tight Corner Radius Bowls
 - Supplied with Designer Waste and Plug

Technical Information

Dimensions (WxLxH):
1180mm x 480mm x 210mm

Main Bowl Size (WxL):
340mm x 380mm

Second Bowl Size (WxL):
340mm x 380mm

Available in Left Hand and Right Hand Bowl orientations



UM450-20
Single Bowl Undermount Kitchen Sink - 450mm

- Features
- Deep Single Bowl
 - Stainless Steel (satin finish)
 - 1.2mm AISI-304 18/10 Grade Standard
 - Modern Undermount Design
 - Rounded Inner Corners
 - Supplied with Designer Waste and Plug

Technical Information

Dimensions (WxLxH):
450mm x 450mm x 200mm

Bowl Size (WxL):
400mm x 400mm



UM720-20
Double Bowl Undermount Kitchen Sink - 720mm

- Features
- Deep Double Bowl
 - Stainless Steel (satin finish)
 - 1.2mm AISI-304 18/10 Grade Standard
 - Modern Undermount Design
 - Rounded Inner Corners
 - Supplied with Designer Waste and Plug
 - Reinforcement Between Bowls

Technical Information

Dimensions (WxLxH):
720mm x 440mm x 200mm

Main Bowl Size (WxL):
450mm x 400mm

Second Bowl Size (WxL):
200mm x 400mm



UM760-20
Double Bowl Undermount Kitchen Sink - 760mm

- Features
- Deep Double Bowl
 - Stainless Steel (satin finish)
 - 1.2mm AISI-304 18/10 Grade Standard
 - Modern Undermount Design
 - Rounded Inner Corners
 - Supplied with Designer Waste and Plug
 - Reinforcement Between Bowls

Technical Information

Dimensions (WxLxH):
760mm x 450mm x 200mm

Bowl Sizes (WxL):
340mm x 400mm




UM860-20
Double Bowl Undermount Kitchen Sink - 860mm

- Features
- Deep DoubleBowl
 - Stainless Steel (satin finish)
 - 1.2mm AISI-304 18/10 Grade Standard
 - Modern Undermount Design
 - Rounded Inner Corners
 - Supplied with Designer Waste and Plug
 - Reinforcement Between Bowls

Technical Information

Dimensions (WxLxH):
860mm x 450mm x 200mm

Bowl Sizes (WxL):
390mm x 400mm



UM-1100D-20

Double Bowl Undermount Kitchen Sink with Drainer - 1100mm

Features

- Deep Double Bowl
- Stainless Steel (satin finish)
- 1.2mm AISI-304 18/10 Grade Standard
- Modern Undermount Design
- Rounded Inner Corners
- Supplied with Designer Waste and Plug
- Reinforcement Between Bowls

Technical Information

Dimensions (WxLxH):

1100mm x 450mm x 200mm

Main Bowl Size (WxL):

340mm x 400mm

Second Bowl Size (WxL):

340mm x 400mm



SB46

Single Bowl Black Granite Topmount Kitchen Sink - 460mm

Features

- Single Bowl
- Black Granite Stone Composite (80% Granite)
- Stylish Straight Line Bowl Design
- Easy Clean Rounded Corners
- Heavy Duty Heat Resistance
- Super Durable & Scratch Resistant
- Hygienic and Food Safe
- Designer Waste & Plug Supplied
- Extremely solid - Thickness 9mm
- Silk Textured Surface

Technical Information

Dimensions (WxLxH):

460mm x 410mm x 220mm

Bowl Size (WxL):

400mm x 350mm



SB61

Single Bowl Black Granite Topmount Kitchen Sink - 610mm

Features

- Large Single Bowl
- Black Granite Stone Composite (80% Granite)
- Stylish Straight Line Bowl Design
- Easy Clean Rounded Corners
- Heavy Duty Heat Resistance
- Super Durable & Scratch Resistant
- Hygienic and Food Safe
- Designer Waste & Plug Supplied
- Extremely solid - Thickness 9mm
- Silk Textured Surface

Technical Information

Dimensions (WxLxH):

610mm x 470mm x 200mm

Bowl Size (WxL):

560mm x 410mm



SDB79

1 + 1 Bowl Black Granite Topmount Kitchen Sink - 790mm

Features

- 1 + 1 Bowls
- Black Granite Stone Composite (80% Granite)
- 100mm recessed centre pillar
- Stylish Straight Line Bowl Design
- Easy Clean Rounded Corners
- Heavy Duty Heat Resistance
- Super Durable & Scratch Resistant
- Hygienic and Food Safe
- Side waste position allows increased storage space below sink
- Semi Predrilled tap hole (diameter:35mm)
- Designer Waste & Plug Supplied
- Extremely solid - Thickness 9mm
- Silk Textured Surface

Technical Information

Dimensions (WxLxH):

790mm x 500mm x 235mm

Left Bowl Size (WxL):

360mm x 410mm

Right Bowl Size (WxL):

360mm x 410mm



SDB86

1+3/4 Bowl Black Granite Topmount Kitchen Sink - 860mm

Features

- 1 + 3/4 Bowls
- Black Granite Stone Composite (80% Granite)
- Stylish Straight Line Bowl Design
- Easy Clean Rounded Corners
- Heavy Duty Heat Resistance
- Super Durable & Scratch Resistant
- Hygienic and Food Safe
- Side waste position allows increased storage space below sink
- Semi Predrilled tap hole (diameter:35mm)
- Designer Waste & Plug Supplied
- Extremely solid - Thickness 9mm
- Silk Textured Surface

Technical Information

Dimensions (WxLxH):


860mm x 500mm x 205mm

Left Bowl Size (WxL):

360mm x 360mm

Right Bowl Size (WxL):

400mm x 430mm



STS100

Single Bowl Black Granite
Topmount Kitchen Sink with
Drainer - 860mm

Features

- Single Bowl and Drainer
- Black Granite Stone Composite (80% Granite)
- Stylish Straight Line Bowl Design
- Easy Clean Rounded Corners
- Heavy Duty Heat Resistance
- Super Durable & Scratch Resistant
- Hygienic and Food Safe
- Side waste position allows increased storage space below sink
- Semi Predrilled tap hole (diameter:35mm)
- Designer Waste & Plug Supplied
- Extremely solid - Thickness 9mm
- Silk Textured Surface

Technical Information

Dimensions (WxLxH):

860mm x 500mm x 205mm

Bowl Size (WxL):

435mm x 430mm

Available to install in either left or right hand bowl orientations

STS175

1 + 3/4 Bowl Black Granite
Topmount Kitchen Sink -
1160mm

Features

- 1 + 3/4 Bowl and Drainer
- Black Granite Stone Composite (80% Granite)
- Stylish Straight Line Bowl Design
- Easy Clean Rounded Corners
- Heavy Duty Heat Resistance
- Super Durable & Scratch Resistant
- Hygienic and Food Safe
- Side waste position allows increased storage space below sink
- Semi Predrilled tap hole (diameter:35mm)
- Designer Waste & Plug Supplied
- Extremely solid - Thickness 9mm
- Silk Textured Surface

Technical Information

Dimensions (WxLxH):

1160mm x 500mm x 205mm

Main Bowl Size (WxL):

395mm x 420mm

Second Bowl Size (WxL):

295mm x 420mm

Available to install in either left or right hand bowl orientations

Laundry Sinks

Using high-quality 304A-grade stainless steel, Domain's range of laundry sinks will have a model perfectly suited for your laundry.

All our laundry sinks are designed to fit into any benchtop surface. They are suitable for both contemporary and modern homes.



35POL -A

Topmount Laundry Trough / Sink
- 560mm

Features

- Deep Single Bowl
- Top Mount
- 35 Litre Capacity
- Stainless Steel Sink (Polished Finish)
- 0.8mm AISI-304 18/10 Grade Standard
- Two 35mm Tap Holes
- Supplied with Designer Waste and Laundry Bypass Kit

Technical Information

Dimensions (WxLxH):

560mm x 460mm x 220mm

Bowl Size (WxL):

480mm x 380mm

45POL-A

Topmount Laundry Trough / Sink
- 600mm

Features

- Deep Single Bowl
- Top Mount
- 45 Litre Capacity
- Stainless Steel Sink (Polished Finish)
- 0.8mm AISI-304 18/10 Grade Standard
- Two 35mm Tap Holes
- Supplied with Designer Waste and Laundry Bypass Kit

Technical Information

Dimensions (WxLxH):

600mm x 500mm x 220mm

Bowl Size (WxL):

525mm x 420mm

UM530

Premium Topmount Laundry
Trough / Sink - 530mm

Features

- 200mm Bowl
- Modern Topmount Design
- Stainless Steel (satin finish)
- 1.2mm AISI-304 18/10 Grade Standard
- 35mm Tap Hole
- Square Corners
- Supplied with Designer Waste and Plug
- Anti-Corrosion Coating on Underside

Technical Information

Dimensions (WxLxH):

530mm x 505mm x 200mm


Bowl Size (WxL):

460mm x 400mm

TAPS & MIXERS

Add the final finishing touch to your kitchen. Domain has kitchen taps that whilst hard working, water saving and functional are also fashionable products that will perfectly suit and reflect your lifestyle.

Taps & Mixers



CLASSIC

Common Flick Mixer Tap

Features

- 40mm Cartridge
- Flow Rate: 7.5 L/min
- Spout Reach Length: 225mm
- Spout Reach Height: 140mm
- 4 Star Water Rating
- 500 KPA
- Suitable for mains pressure installation
- WELS Reg YSW1100-07/T06932

CLASSIC-SQ

Square Design Common Flick Mixer Tap

Features

- 35mm Cartridge
- Flow Rate: 6.5 L/min
- Spout Reach Length: 240mm
- Spout Reach Height: 135mm
- 4 Star Water Rating
- 500 KPA
- Suitable for mains pressure installation
- WELS Reg 102.20.02/T16805

CLASSIC-PULL

Pull Out Flick Mixer Tap

Features

- Pull Out Spout
- 40mm Cartridge
- Flow Rate: 7.0 L/min
- Spout Reach Length: 189mm
- Spout Reach Height: 118mm
- 4 Star Water Rating
- 500 KPA
- Suitable for mains pressure installation
- WELS Reg 505.30.03 / T17098

CELIA-SQ

Square Design Kitchen Mixer Tap

Features

- 35mm Cartridge
- Flow Rate: 7.5 L/min
- Spout Reach Length: 190mm
- Spout Reach Height: 290mm
- 500 KPA
- Suitable for mains pressure installation
- 4 Star Water Rating
- WELS Reg YSW3015-06/T29251



CELIA-SQ-BLK

**Square Design
Matte Black Finish
Kitchen Mixer Tap**

Features

- 35mm Cartridge
- Flow Rate: 6.0L/min
- Spout Reach Length: 190mm
- Spout Reach Height: 290mm
- 500 KPA
- Suitable for mains pressure installation
- 5 Star Water Rating
- WELS Reg YSW2508-06/T28860

CELIA-SQ-XL

**Premium Square
Design Kitchen
Mixer Tap**

Features

- 35mm Cartridge
- Flow Rate: 5.0 L/min
- Spout Reach Length: 220mm
- Spout Reach Height: 248mm
- 500 KPA
- Suitable for mains pressure installation
- 5 Star Water Rating
- WELS Reg YSW3015-07/T27568

DOLCE-SQ

**Round Square Neck
Kitchen Mixer Tap**

Features

- 35mm Cartridge
- Flow Rate: 6.0 L/min
- Spout Reach Length: 200mm
- Spout Reach Height: 226mm
- 500 KPA
- Suitable for mains pressure installation
- 5 Star Water Rating
- WELS Reg YSW2508-06/T28860

DOLCE-SQ-BLK

**Round Square Neck
Kitchen Mixer Tap
Matte Black Finish**

Features

- 35mm Cartridge
- Flow Rate: 6.0 L/min
- Spout Reach Length: 200mm
- Spout Reach Height: 226mm
- 500 KPA
- Suitable for mains pressure installation
- 5 Star Water Rating
- WELS Reg YSW2508-06/T28860



DOLCE-SQ-BN

**Round Square Neck
Kitchen Mixer Tap
Brushed Nickel Finish**

Features

- 35mm Cartridge
- Flow Rate: 6.0 L/min
- Spout Reach Length: 200mm
- Spout Reach Height: 226mm
- 500 KPA
- Suitable for mains pressure installation
- 5 Star Water Rating
- WELS Reg YSW2508-06/T28860

DOLCE-RND

**Goose Neck Kitchen
Mixer Tap**

Features

- 35mm Cartridge
- Flow Rate: 7.5 L/min
- Spout Reach Length: 176mm
- Spout Reach Height: 225mm
- 500 KPA
- Suitable for mains pressure installation
- 4 Star Water Rating
- WELS Reg YSW2508-07/T06930

DOLCE-RND-BN

**Goose Neck Kitchen
Mixer Tap Brushed
Nickel Finish**

Features

- 35mm Cartridge
- Flow Rate: 7.5 L/min
- Spout Reach Length: 176mm
- Spout Reach Height: 225mm
- 500 KPA
- Suitable for mains pressure installation
- 4 Star Water Rating
- WELS Reg YSW2508-07/T06930



VENUS-PULL

Goose Neck Kitchen Mixer Tap with Pull Out Nozzle

Features

- 35mm Cartridge
- Flow Rate: 6.0 L/min
- Spout Reach Length: 217mm
- Spout Reach Height: 220mm
- 500 KPA
- Suitable for mains pressure installation
- 5 Star Water Rating
- WELS Reg YSW5810-09C/T31295

VENUS-PULL-BLK

Goose Neck Kitchen Mixer Tap with Pull Out Nozzle Matte Black Finish

Features

- 35mm Cartridge
- Flow Rate: 6.0 L/min
- Spout Reach Length: 217mm
- Spout Reach Height: 220mm
- 500 KPA
- Suitable for mains pressure installation
- 5 Star Water Rating
- WELS Reg YSW5810-09C/T31295

VENUS-SPRAY

Goose Neck Pull Out Vegie Sprayer Kitchen Mixer Tap

Features

- 35mm Cartridge
- Flow Rate: 7.0 L/min
- Spout Reach Length: 230mm
- Spout Reach Height: 220mm
- 500 KPA
- Suitable for mains pressure installation
- 4 Star Water Rating
- WELS Reg 201.45.03/T17095

VENUS-SIL

Goose Neck Black Silicone Pull Out Vegie Sprayer Kitchen Mixer Tap

Features

- 35mm Cartridge
- Flow Rate: 6.0 L/min
- Spout Reach Length: 220mm
- Spout Reach Height: 206mm
- 500 KPA
- Suitable for mains pressure installation
- 5 Star Water Rating
- WELS Reg YSW2217-07/T31296

VENUS-SPG

Spring Neck Pull Out Vegie Sprayer Kitchen Mixer Tap

Features

- 35mm Cartridge
- Flow Rate: 6.0 L/min
- Spout Reach Length: 250mm
- Spout Reach Height: 200mm
- 500 KPA
- Suitable for mains pressure installation
- 5 Star Water rating
- WELS Reg 201.60.03/T17114

VENUS-SPG-LX

Dual Action Spring Neck Pull Out Vegie Sprayer Kitchen Mixer Tap

Features


- 35mm Cartridge
- Flow Rate: 7.0 L/min
- Spout Reach Length: 205mm
- 500 KPA
- Suitable for mains pressure installation
- 4 Star Water rating
- WELS Reg FD0020-CCT/T34884

TECHNICAL SPECIFICATIONS

Technical Specifications

OVENS

External and Installation Dimensions



ME0-007 / ME0-747

- A 595mm
- B 595mm
- C 575mm
- D 560mm
- E 570mm
- F 100mm
- G 600mm

DS0-5


- A 595mm
- B 595mm
- C 575mm
- D 565mm
- E 585mm
- F 100mm
- G 600mm

DE0-316 / DE0-502

- A 595mm
- B 595mm
- C 575mm
- D 560mm
- E 570mm
- F 100mm
- G 600mm

DE0-814 / DE0-912


- A 595mm
- B 595mm
- C 575mm
- D 560mm
- E 570mm
- F 100mm
- G 600mm



DE0-X90

- A 895mm
- B 480mm
- C 568mm
- D 860mm


- E 550mm
- F 100mm
- G 480mm



DD0-60-SSA

- A 595mm
- B 885mm
- C 563mm
- D 563mm

- E 550mm
- F 100mm
- G 885mm



FBC90 / FCS90 / FEC90

- A 895mm
- B 770mm
- C 600mm
- D 60mm


- E 40mm
- F 89 - 149mm

PLEASE NOTE

Please ensure proper ventilation in cabinetry as shown in installation diagrams


RANGEHOODS

External Dimensions




UMH-52B

A 520mm
B 280mm
C 10mm
D 255mm
E 480mm
F 244mm
G 28mm




UMH-75B

A 750mm
B 280mm
C 10mm
D 255mm
E 710mm
F 244mm
G 28mm




UMH-90B

A 900mm
B 280mm
C 10mm
D 255mm
E 860mm
F 244mm
G 28mm




UHB-52

A 520mm
B 280mm
C 15 mm
D 258mm
E 483mm
F 244mm
G 29mm




UHB-90

A 900mm
B 280mm
C 15 mm
D 258mm
E 860mm
F 244mm
G 29mm




SRC-60-REC

A 599mm
B 194mm
C 278mm
D 80mm
E 20mm
F 136mm
G 40mm
H 510mm
I 24mm




SLR-60E

A 600mm
B 194mm
C 278mm
D 42mm
E 20mm
F 160mm
G 40mm
H 510mm
I 28mm




SLR-6000

A 600mm
B 170mm
C 283mm
D 40mm
E 18mm
F 135mm
G 40mm
H 550mm
I 40mm




SLP-6000A

A 600mm
B 194mm
C 278mm
D 42mm
E 20mm
F 220mm
G 40mm
H 510mm
I 28mm




SLR-90E

A 900mm
B 194mm
C 278mm
D 42mm
E 20mm
F 160mm
G 40mm
H 810mm
I 28mm




SLR-90C

A 900mm
B 194mm
C 280mm
D 40mm
E 20mm
F 137mm
G 40mm
H 850mm
I 28mm




SLP-9000A

A 900mm
B 194mm
C 278mm
D 42mm
E 20mm
F 220mm
G 40mm
H 810mm
I 28mm




RHD60-CURV-A

A 595mm
B 500mm
C 540 - 1020mm
D 43mm
E 320mm
F 278mm




RHD90-CURV-A

A 895mm
B 500mm
C 540 - 1020mm
D 92mm
E 320mm
F 278mm




PCR-90E

A 895mm
B 500mm
C 540 - 1020mm
D 92mm
E 320mm
F 278mm




HLF-90

A 900mm
B 500mm
C 548 - 1000mm
D 60mm
E 320mm
F 280mm




PRH-90S

A 900mm
B 500mm
C 548 - 1000mm
D 60mm
E 320mm
F 280mm




RHD60-TAPE-A

A 600mm
B 480mm
C 638 - 1000mm
D 245mm
E 35mm
F 222mm
G 172mm



RHD90-TAPE-A

A 900mm
B 480mm
C 638 - 1000mm
D 245mm
E 35mm
F 222mm
G 172mm



HIT-60


A 565mm
B 285mm
C 352mm
D 60mm
E 268mm
F 279mm

HIT-90


A 865mm
B 285mm
C 352mm
D 60mm
E 268mm
F 279mm

RANGEHOOD VENTING OPTIONS


Canopy and Slide Out Rangehoods



Canopy / Slide out rear ducted to outside




Canopy / Slide out top ducted to outside



Canopy Recirculating

COOKTOPS

External and Cutout Dimensions



IGC30-FFD

A 300mm
B 500mm
C 282mm
D 482mm
E 55mm

GAS60-STD-B

A 580mm
B 500mm
C 560mm
D 480mm
E 35mm

GCC90

A 860mm
B 500mm
C 833mm
D 475mm
E 60mm

IGC60-WOK-A

A 580mm
B 500mm
C 553mm
D 473mm
E 60mm

IGC70-WOK-A

A 680mm
B 500mm
C 553mm
D 473mm
E 60mm

IGC90-WOK-A

A 860mm
B 500mm
C 833mm
D 475mm
E 60mm

IGCSW-90-A

A 860mm
B 500mm
C 833mm
D 475mm
E 60mm

SSW-60

A 594mm
B 514mm
C 560mm
D 490mm
E 90mm

SSW-90

A 860mm
B 510mm
C 815mm
D 490mm
E 90mm

GGW-90

A 900mm
B 510mm
C 830mm
D 480mm
E 99mm

GOG-60S

A 600mm
B 520mm
C 553mm
D 473mm
E 60mm

GOG-90S

A 900mm
B 520mm
C 857mm
D 487mm
E 60mm

GOG-60-LX

A 610mm
B 510mm
C 555mm
D 475mm
E 55mm

GOG-70-LX

A 700mm
B 510mm
C 645mm
D 475mm
E 55mm

GOG-90-LX

A 870mm
B 510mm
C 833mm
D 475mm
E 55mm

CEC-30

A 288mm
B 520mm
C 265mm
D 495mm
E 55mm

CEC60-T2

A 590mm
B 520mm
C 560mm
D 490mm
E 55mm

CEC70

A 700mm
B 520mm
C 560mm
D 490mm
E 55mm

CEC77

A 770mm
B 520mm
C 750mm
D 490mm
E 55mm

CEC90

A 900mm
B 520mm
C 750mm
D 490mm
E 50mm

IND60-EC

A 590mm
B 520mm
C 560mm
D 490mm
E 60mm

IND77-EC

A 770mm
B 520mm
C 744mm
D 494mm
E 60mm

IND90-EC





A 900mm
B 520mm
C 874mm
D 494mm
E 60mm

PLEASE NOTE

F 150mm Minimum
G 50mm Minimum
H 650mm Minimum - ELECTRIC / INDUCTION
H 750mm Minimum - GAS

SINKS

External Dimensions



POL-100A

A 780mm
B 480mm
C 380mm
D 330mm

POL-150A





A 980mm
B 480mm
C 380mm
D 330mm
E 300mm
F 200mm

POL-175A

A 1080mm
B 480mm
C 380mm
D 330mm
E 290mm
F 300mm

POL-200A

A 1180mm
B 480mm
C 380mm
D 330mm
E 330mm



PTM100

A 780mm
B 480mm
C 380mm
D 340mm

PTM175





A 1080mm
B 480mm
C 380mm
D 340mm
E 270mm
F 280mm

PTM200

A 1180mm
B 480mm
C 380mm
D 340mm
E 340mm

UM450-20

A 450mm
B 450mm
C 400mm
D 400mm



UM720-20

A 720mm
B 440mm
C 400mm
D 450mm
E 200mm

UM760-20

A 760mm
B 450mm
C 400mm
D 340mm
E 340mm

UM860-20

A 860mm
B 450mm
C 400mm
D 390mm
E 390mm


UM1100D-20

A 1100mm
B 450mm
C 400mm
D 340mm
E 340mm

Technical Specifications


SINKS *Continued*

External Dimensions




SB46

A 460mm
B 410mm
C 350mm
D 400mm




SB61

A 610mm
B 470mm
C 405mm
D 545mm




SDB79

A 790mm
B 460mm
C 410mm
D 360mm
E 360mm




SDB86

A 860mm
B 500mm
C 360mm
D 430mm
E 360mm
F 400mm




STS100

A 860mm
B 500mm
C 435mm
D 430mm




STS175

A 1160mm
B 500mm
C 420mm
D 395mm
E 295mm




UM-530

A 530mm
B 505mm
C 400mm
D 460mm
E 70mm
F 35mm



POL35-A

A 560mm
B 460mm
C 380mm
D 480mm




POL45-A

A 600mm
B 500mm
C 420mm
D 525mm

Technical Specifications


DISHWASHERS

External Dimensions




DW60-X1

A 1135mm
B 845mm
C 598mm
D 610mm




DW60-B1

A 1135mm
B 845mm
C 598mm
D 600mm




DW60-ITD

A 1150mm
B 815mm
C 598mm
D 550mm - no panel




DW60-ET

A 1175mm
B 845mm
C 598mm
D 600mm



DW45A

A 448mm
B 845mm
C 600mm



DWB-W1 / DWB-S1


A 550mm
B 438mm
C 500mm

BUILT-IN MICROWAVES

External and Installation Dimensions

MWB-32 / MWBL-34


A 595mm
B 388mm
C 480mm
D 560 + 8mm
E 380 + 3mm
F 600mm
G Min. 550mm
H 45mm



FIND OUT MORE

Now you have seen the inspiration and quality that is introduced into all our kitchen appliances, we know you would be interested in what else Domain has to offer.

DOMAIN APPLIANCES WEBSITE



Please ask for our air conditioning brochure or view our other products online at:
www.domainappliances.com.au

TELEPHONE: 1 300 GET COOK (1300 438 266)

Domain Appliances

2 / 9 Kelletts Road
Rowville VIC 3178
P: (03) 9763 8988
F: (03) 9763 8978
E: info@domainappliances.com.au

www.domainappliances.com.au

HOME SERVICE

Home Service is provided for repairs to appliances by trained technicians. For repairs to appliances that are outside the manufacturer's warranty period and not required as a result of a manufacturing defect, a service fee is payable.

Home Service and Spare Parts can be contacted on the web at:

www.domainappliances.com.au

WARRANTY

Domain Appliances warrants that for domestic applications that Domain's kitchen products featured in this brochure are free from defects in materials and workmanship for 2 years (3 months warranty for commercial applications, excluding dishwashers as they are only suitable for domestic or equivalent applications.)

Microwaves, benchtop dishwashers and taps are required to be returned to base for warranty claims. The customer is responsible for shipment back to service centre and will be reimbursed for postage upon receipt of a valid tax invoice.

Full warranty details are available at
www.domainappliances.com.au/warranty

DISCLAIMERS

The product dimensions and specifications in this brochure apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. You should therefore check with your dealer or Domain Appliances to ensure this brochure correctly describes the products currently available.

The photographs in this brochure are for illustrative purposes only.

All information supplied is to be used for general reference purposes only and is on the understanding that Domain Appliances will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow.

Domain Appliances
January 2025
Copyright © Domain Appliances 2025. All rights reserved.



Authorised Dealer: